

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 1/28/14

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Megan Miller at 302-739-9400, or send an email to Megan.Miller@state.de.us

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

Secretary's Orders

[Secretary's Order No. 2013-WH-0061](#) RE: Approval of Final Plan of Remedial Action for 29984 Pinnacle Way Site (SIRS DE-1555) aka, Vlastic/Pinnacle Pickle Plant near Millsboro, Sussex County, Hearing Officer's report included. For more site information, please visit: <http://www.dnrec.delaware.gov/dwhs/SIRB/Lists/SIRB%20Plans%20%20Proposed%20and%20Final/DispForm.aspx?ID=376&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2Fdwhs%2FSIRB%2FPages%2FSIRBPlans%2Easpx&ContentTypeId=0x0100F4EED7728E9D2C47B4189BC8EAC8E51B>

[Secretary's Order No. 2014-A-0001](#) Re: Application of Calpine Mid-Atlantic Generation, LLC to Renew an Air Pollution Control Permit (Regulation 1130's Title V State Operating Permit Program) for the Hay Road Energy Center, Wilmington, and New Castle County. For more site information, please visit: <http://www.dnrec.delaware.gov/Info/Documents/Secretarys%20Order%20No.%20%202014-A-0001.pdf>

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

PUBLIC HEARING ON REPEAL OF 7 DE ADMIN CODE 103 (Chronic Violator Regulation)

The Department of Natural Resources and Environmental Control (DNREC), Office of the Secretary, will conduct a public hearing on the repeal of 7 DE Admin Code 103, the Chronic Violator Regulation. The Chronic Violator Regulation has been rendered moot by the passage of legislation (Senate Bill 92) in 2012 that amended state law. This amendment eliminated DNREC's role as proposing and determining whether a party is a chronic violator. Under the amended law, DNREC proposes the designation of a Chronic Violator to the Environmental Appeals Board. The most recent changes in the law spell out the process and alleviate the need for the regulation.

The public hearing on the repeal of the Chronic Violator Regulation will be held on **February 3** at 6:00 p.m. in the auditorium of the Richardson and Robbins Building located at 89 Kings Highway, Dover, Delaware 19901. For additional information or to schedule an appointment to inspect the Chronic Violator Regulation, please contact Jenny Bothell, DNREC-OTS-Office of Community Services, 89 Kings Highway, Dover, DE 19901, , jennifer.bothell@state.de.us; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2181&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **February 5** from 10am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please

contact Kimberly Burris at (302) 739-9945; or visit:
<http://egov.delaware.gov/pmc/Event/Details/23126>

CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **May 7** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:
<http://egov.delaware.gov/pmc/Event/Details/22082>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Nicole Hill or Penny Gentry at (302) 739-9402.

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS -Notice is hereby given that JP Morgan Chase Bank & Co. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit amendment at 501 Bear Christiana Road, Bear, Delaware, JP Morgan Chase Bank & Co. requests an increase in emission limits for eight existing emergency generators. These limits are necessary to restrict the facility’s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 23.61 tpy of NOX, 22.09 tpy of CO, 0.41 tpy of SO2, 2.76 tpy of PM10, and 16.98 tpy of THCs. The application, the “draft” permit (APC-2003/0285-OPERATION (Amendment 3) (SM)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the “draft” permit may be inspected at the office of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover, DE and 715 Grantham Lane, New Castle, DE. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 11**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2184&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Modification Applications-Notice is hereby given that Delaware Solid Waste Authority having a facility at 1706 E. 12th Street, Wilmington, Delaware, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 AQM-003/00111-Renewal 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” significant permit modification has been prepared. This “draft/proposed” significant permit modification will modify the existing visible emission monitoring requirements for the passive flares in use at the Cherry Island Landfill. A public hearing concerning the permitting action will not be held unless the Secretary of the Department

of Natural Resources and Environmental Control receives a request by **February 18**. The application, the "draft/proposed significant permit modification, (AQM-003/00111-Renewal 2), may be inspected at the offices of the Division of Air Quality. To submit comments, for additional information or for an appointment to inspect the application , please contact Nicole Hill at the Dover Office at 739-9402 ;or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2194&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS-Notice is hereby given that Coker Concrete has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction/operation permit at 949 Horsepond Road, Dover. Coker Concrete requests a limit for 1,000 operating hours per rolling twelve (12) months for an 860 hp tub grinder and 1,000 operating hours per rolling twelve (12) months for a 174 hp power screen at 949 Horsepond Road, Dover. These limits are necessary to restrict Coker Concrete's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 6.5 TPY NOx, 8.1 TPY CO, 0.1 TPY THC, 0.35 TPY PM, and 0.005 TPY SO2 for the tub grinder. The total estimated emissions from the facility for the power screen are 1.6 TPY NOx, 0.2 TPY CO, 0.1 TPY THC, 0.02 TPY PM, and 0.001 TPY SO2. The application, the "draft" permits (Permit: APC-2014/0046-Construction/Operation (SM)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit may be inspected. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **February 18**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2193&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS-Notice is hereby given that AstraZeneca - Old Baltimore Pike has submitted two applications, pursuant to 7 DE Admin Code 1102, Section 2.1, 11.2.9, and 12.3 for construction permits at 587 Old Baltimore Pike, Newark. AstraZeneca - Old Baltimore Pike has requested to install three small cyclones with associated dust collectors and HEPA filters for the formulation process lines. Maximum emissions of Particulate Matter (PM2.5) for the project will be less than 0.1 TPY. These limits are necessary to restrict AstraZeneca - Old Baltimore Pike potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. The application, the "draft" permits (Permits: APC-2014/0043 and 0044-Construction (FE)), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy or summary of other materials, if any, considered in preparing the "draft" permit may be inspected. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 18**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2192&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications Notice is hereby given that DuPont Chestnut Run having a facility at 4417 Lancaster Pike, in Wilmington, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 (AQM-003/00126(Renewal 3)). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal updates applicable requirements. The application, the "draft/proposed" permit renewal (AQM-003/00126(Renewal 3)) all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected. If there are no significant comments, the "draft/proposed" permit renewal will be issued as a final permit after expiration of the EPA review period. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 25**. To submit comments, for additional information or for an appointment to inspect the application, please contact Nicole Hill at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2200&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications - Notice is hereby given that Wilmington Wastewater Treatment Plant having a facility at 12th Street and Hay Road in Wilmington, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00389 - Renewal (2). Based on the data and certifications contained in the application, the Air Quality Management Section concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" permit renewal has been prepared. This "draft/proposed" permit renewal incorporates regulatory updates since the last permit renewal. The application, the "draft/proposed" permit renewal, permit: AQM-003/00389 - Renewal (3), all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the "draft/proposed" permit renewal may be inspected at the offices of the Division of Air Quality, Blue Hen Corporate Center. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 25**. To submit comments, for additional information or for an appointment to inspect the application, please contact Nicole Hill at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2199&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a Brownfields Development Agreement (BDA) to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The Voluntary Cleanup Program (VCP) Agreement is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and final plans of remedial action are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE Davidson Lane Site, New Castle Delaware - The Department has adopted a Final Plan of Remedial Action regarding the disposition of the Davidson Lane Site (off Lambson Lane) in New Castle. Investigation and risk assessment of the Site showed that the Site is suitable for unrestricted development. Documents pertaining to the investigation of the Site may be found at the office of DNREC-SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: DNREC issued public notice of the Proposed Plan of Remedial Action (Proposed Plan) for the Site on November 25, 2013 and opened a 20-day public comment period. No comments have been received. The public may appeal this Final Plan by **February 3**. For additional information, please contact Stephen F. Johnson, PE, Project Manager or Robert Newsome, Public Information Officer, at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2185&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIATION ACTION FOR THE OWENS STATION SITE (Operable Unit-1) (DE-1350)-The Department has adopted a plan regarding the clean-up of Operable Unit 1 of the Owens Station Site located in Greenwood, DE. No clean-up actions have been taken on OU-1 because contamination was not detected. OU-1 will remain a residential area. DNREC issued public notice of the Proposed Plan for Operable Unit 1 of the Owens Station Site on October 30, 2013. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **February 5**s day. For additional information, please contact Krystal A. Stanley, Project Manager, or Robert Newsome, Public Information Officer, at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2190&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIATION ACTION FOR THE OWENS STATION SITE (Operable Unit-2) (DE-1350)-The Department has adopted a plan regarding the clean-up of Operable Unit 2 of the Owens Station Site located in Greenwood. An Environmental Covenant will be placed on OU-2 to remain zoned for commercial activities. DNREC issued public notice of the Proposed Plan for Operable Unit 2 of the Owens Station Site on October 30, 2013. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan by **February 5**. For additional information, please contact Krystal A. Stanley, Project Manager, or Robert Newsome, Public Information Officer, at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2191&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FIRST STATE MILITARY ACADEMY SITE (DE-1565)- DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating a BDA with First State Military Academy regarding the First State Military Academy Site, located at 355 West Duck Creek Road in Clayton, Delaware. Identified by Kent County as tax parcel number 3-04-01806-01-6500-0001, the 35.65 acre Site may have had a release of hazardous substances as a result of past use as an

underground storage facility. This notice will expire on **February 5**. For more information, please contact the DNREC-SIRS Project Manager, Stephanie Scholl at or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2188&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>
see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

FINAL PLAN OF REMEDIAL ACTION FOR THE SCHWARTZ PROPERTY OPERABLE UNIT-1

(DE-1389)-The Department has adopted a plan regarding the clean-up of Operable Unit-1 of the Schwartz Property located at 201 & 211 South Market Street in Wilmington. All underground storage tanks (USTs), associated piping and petroleum-impacted soil will be removed, the Site will be capped with 2 feet of clean soil, and environmental vapor barriers will be placed under all residential buildings, as necessary. DNREC issued public notice of the Proposed Plan for Operable Unit-1 of the Schwartz Property on December 22, 2013. The public may appeal this Final Plan by February 11. For additional information, please contact John Cargill IV P.G., or Tiffany Neumann, Project Officers, or Robert Newsome, Public Information Officer, at ; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2197&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE SCHWARTZ PROPERTY OPERABLE UNIT-2

(DE-1389)-The Department has adopted a plan regarding the clean-up of Operable Unit-2 of the Schwartz Property located at 201 & 211 South Market Street in Wilmington. The Site will be capped with 2 feet of clean soil and environmental vapor barriers will be placed under all residential buildings, as necessary. DNREC issued public notice of the Proposed Plan for Operable Unit-2 of the Schwartz Property on December 22, 2013. The public may appeal this Final Plan by February 11. For additional information, please contact John Cargill IV P.G., or Tiffany Neumann, Project Officers, or Robert Newsome, Public Information Officer, at ; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2198&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

DIVISION OF WATER- GROUND WATER DISCHARGES SECTION- PERMIT APPLICATIONS

The Division of Water hereby gives notice that the following permit applications have been received. For additional information, please contact Kathleen Saunders at (302) 739-9948 or visit: DNREC – Division of Water, Ground Water Discharges Section. **This notification expires February 3.**

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2196&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Mr. Robert Maloney has applied for a Formal Variance regarding the location of an on-site wastewater treatment and disposal system on his property. The property is located at 31028 Vacation Road in Holiday Pines, near Millsboro, Delaware, Sussex County tax map # 2-34-25.00-69.00. He is asking for relief from a 50' setback requirement between his on-site wastewater disposal system and a watercourse at the rear of his property. The proposed system would serve an existing two bedroom dwelling with a design flow rate of 240 gallons per day.

City of Rehoboth Beach has applied to the Ground Water Discharges Section for a renewal of Non-Hazardous Liquid Waste Transporters Permit DE OH-135 which allows for the transport of municipal bio solids to be disposed of at the James Wells Farm in accordance with State of Delaware AGU 1002-S-03.

Dogfish Head Craft Brewery Inc. has applied to the Ground Water Discharges Section for an amendment to their Non-Hazardous Liquid Waste Transporters Permit to allow for the transport of Non-Hazardous Liquid Waste to be disposed of at the Kent County Sewer System.

Please be advised that Centerville Crossing, LLC has submitted a septic permit application for a dual-field full-depth standard gravity wastewater treatment and disposal system that will process a proposed daily flow of 800 gallons of wastewater per day. The system will service a proposed office building with 40 employees and is to be located 5701 Kennett Pike, Wilmington, DE. **This notification expires February 10.**

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. This notice expires **February 14**. For more information on the applications listed below, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2165&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Robert L. Baer (2-35-22-284) to install a 5 by 23 foot dock extension connecting to a previously authorized dock and pier in Red Mill Pond at 30324 South Mill Run, Overbrook Shores, Milton, Sussex County, DE

Winterthur Museum, Garden and Library (TM 07-012.00-037) To install 13 linear feet of underground electrical duct bank by open cut under an unnamed tributary to Clenny Run at Winterthur Museum, Garden and Library, Winterthur, New Castle County, DE

U.S. Army Corps of Engineers – (Tax Parcel No.: NA – in the Delaware River) To dredge 346,000 cubic yards of material to a depth of 51 feet below mean low water with subsequent dredging of up to 33,000 cubic yards in the Delaware River near Reedy Island, New Castle County, Delaware to create 35.6 acres of beach in the Delaware River at Oakwood Beach, New Jersey for storm protection. The work will also include the extension of 5 outfall pipes at Oakwood Beach, NJ

EMPLOYEE UPDATES

Congratulations to **Amber Joseph**, Hydrologist II, Water Supply Section, for **passing the Association of State Boards of Geology (ASBOG) exams and being granted her Delaware Professional Geologist license by the Delaware Board of Professional Registration. Congratulations to Amber!**

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Bio solids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Industrial Storm water Permits - 302-739-9946
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941

Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9945
Wetlands and Subaqueous Lands Section - 302-739-9943